

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 10:11
S2	2	"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:29
S3	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 14:35
S4	2	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 14:35
S5	143	((((histogram or edge or texture) adj feature) same (image adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:31
S6	21	S5 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:39
S7	744	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 15:40
S8	18	S7 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:39
S9	2	"20040024758".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:39

S10	0	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:39
S11	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/27 16:39
S12	2	"20040024758".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:09
S13	48	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:37
S14	20	S13 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 09:54
S15	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:01
S16	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:16
S17	361	(content near3 based near3 image near3 retrieval) or (content \$1based\$1image \$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:15
S18	148	S17 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:15
S19	87	S18 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:22
S20	2	S17 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:36

S21	98	((representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:37
S22	2	S21 and ((sub near3 feature) or (sub \$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:39
S23	4	"6169998".pn. or "20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:45
S24	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:50
S25	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:14
S26	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:50
S27	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:50
S28	0	determine same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:15
S29	1	determin\$5 same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:15
S30	1	"20040024758".pn. and (representative adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:18
S31	1	"20040024758".pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:22

S32	12	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:36
S33	1267	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:27
S34	8	S33 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:28
S35	167	((feature adj extraction) and (image adj classification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:28
S36	8383	S35 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:29
S37	13	S35 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:43
S38	1	"5995978".pn. and k \$1means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:44
S39	104	((k\$1means near3 algorithm) same image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:44
S40	0	((((k\$1means near3 algorithm) same image) same (feature adj extraction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:45
S41	0	((((k\$1means near3 algorithm) same image) same (feature near3 extraction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:45
S42	19	((((k\$1means near3 algorithm) same image) and (feature near3 extraction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:47

S43	1	(feature near3 extraction) and (image near3 segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:48
S44	1174	(feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:48
S45	4874	S44 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:49
S46	135	S44 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 13:49
S47	8	S46 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 17:40
S48	15	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:11
S49	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:22
S50	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:22
S51	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:40
S52	2	"6006222".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:02
S53	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:02

S54	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:02
S55	0	"5933823".pn. and (directory or (file adj sysetm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 11:40
S56	0	"5933823".pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 12:46
S57	12907	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 13:00
S58	73	S57 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 12:49
S59	678	feature near3 correspond \$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 13:00
S60	9	S59 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 13:00
S61	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2006/01/31 13:18
S62	2	(divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2006/01/31 13:20
S63	15	(segment\$4 near3 (display or image or graphic)) and (segment \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2006/01/31 13:21
S64	165	((three near6 (divi\$5 or segment\$5)) and (k \$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:36

S65	10	(three near6 (divi\$5 or segment\$5)) same (k \$1 means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:38
S66	0	(three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:38
S67	1	(three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:29
S68	15	hierarchical same form\$4 same directory same (file adj system) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:32
S69	0	(generate or construct) same (hierarchcal near3 structure) same (directory near3 layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:32
S70	133	(hierarchical near3 structure) same directory same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:37
S71	10	S70 same layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:34
S72	10	S70 same formed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:37
S73	9	S72 not S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:39
S74	5	S70 same derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:40
S75	1405388	structure same formed saem layers same directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:41

S76	49724	S75 same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:41
S77	1	S76 same (managing near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:41
S78	1	S76 same (managing near4 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:41
S79	1	S76 same (managing near8 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:41
S80	1	"20040024758".pn. and (record\$6 near3 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 09:49
S81	0	"20030198384".pn. and arrang\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 18:45
S82	2	"20040024758".pn. and (media or medium or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/30 18:45
S83	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S84	2	"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S85	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S86	2	"20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08



S87	159	((((histogram or edge or texture) adj feature) same (image adj feature)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S88	22	S87 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S89	805	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S90	21	S89 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S91	2	"20040024758".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S92	0	"20040024758".pn. and (representative near3 image) and (similarity near3 leve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S93	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S94	2	"20040024758".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S95	50	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S96	21	S95 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S97	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08

S98	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S99	403	(content near3 based near3 image near3 retrieval) or (content \$1based\$1image \$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S100	174	S99 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S101	106	S100 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S102	2	S99 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S103	102	(representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S104	3	S103 and ((sub near3 feature) or (sub \$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S105	4	"6169998".pn. or "20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S106	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S107	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S108	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08

S109	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S110	0	determine same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S111	1	determin\$ same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S112	1	"20040024756".pn. and (representative adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S113	1	"20040024756".pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S114	13	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S115	1395	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S116	8	S115 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S117	180	(feature adj extraction) and (image adj classification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S118	8884	S117 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S119	13	S117 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08

S120	1	"5995978".pn. and k\$1means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S121	120	((k\$1means near3 algorithm) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S122	0	((((k\$1means near3 algorithm) same image) same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S123	0	((((k\$1means near3 algorithm) same image) same (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S124	22	((((k\$1means near3 algorithm) same image) and (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S125	1	((feature near3 extraction) and (image near3 segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S126	1302	((feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S127	5396	S126 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S128	153	S126 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S129	8	S128 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S130	15	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08

S131	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S132	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S133	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S134	2	"6006226".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S135	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S136	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S137	0	"5933823".pn. and (directory or (file adj sysetm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S138	0	"5933823".pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S139	13706	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S140	83	S139 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S141	762	feature near3 correspond \$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08

S142	13	S141 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S143	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2006/07/10 16:08
S144	2	(divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2006/07/10 16:08
S145	16	(segment\$4 near3 (display or image or graphic)) and (segment \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2006/07/10 16:08
S146	191	((three near6 (divi\$5 or segment\$5)) and (k \$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S147	11	((three near6 (divi\$5 or segment\$5)) same (k \$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S148	0	((three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S149	1	((three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S150	15	hierarchical same form\$4 same directory same (file adj system) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S151	0	(generate or construct) same (hierarchical near3 structure) same (directory near3 layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S152	149	(hierarchical near3 structure) same directory same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08

SI53	12	SI52 same layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
SI54	10	SI52 same formed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
SI55	9	SI54 not SI53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
SI56	5	SI52 same derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
SI57	1454671	structure same formed saem layers same directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
SI58	52254	SI57 same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
SI59	1	SI58 same (managing near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
SI60	1	SI58 same (managing near4 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
SI61	1	SI58 same (managing near8 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
SI62	1	"20040024758".pn. and (record\$6 near3 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
SI63	0	"20030198384".pn. and arrang\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08

S164	2	"20040024758".pn. and (media or medium or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:08
S165	2	"20050119995".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 16:26
S166	63796	((identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 (((name adj variations) or alias\$4 or names)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:48
S167	227	S166 and ((criminal near5 investigation) or (background adj check) or (identity adj check))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:47
S168	283	S166 and ((criminal near5 investigation) or (background adj check) or (identity adj theft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:47
S169	2894	((identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 (((name adj variations) or alias\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:49
S170	4477	((identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 (((name adj variations) or alias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:49
S171	16	((identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 (((name adj variations)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:56
S172	0	"5287278".pn. and (search same (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:56
S173	0	"5287278".pn. and (search and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:56
S174	0	"5287278".pn. and (query and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:56



S175	0	"5287278".pn. and (locate and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:56
S176	2	"5287278".pn. and (locate and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:57
S177	0	"6502095".pn. and (group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 13:51
S178	2	"6502095".pn. and (lazy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/12 13:51
S179	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S180	2	"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S181	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S182	2	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S183	179	((((histogram or edge or texture) adj feature) same (image adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S184	29	S183 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S185	861	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S186	23	S185 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S187	2	"20040024758".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S188	0	"20040024758".pn. and (representative near3 image) and (similarity near3 leve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S189	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S190	2	"20040024758".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S191	52	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S192	22	S191 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S193	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S194	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S195	436	(content near3 based near3 image near3 retrieval) or (content \$1based\$1image \$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S196	190	S195 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S197	115	S196 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S198	2	S195 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S199	108	(representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S200	3	S199 and ((sub near3 feature) or (sub \$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S201	4	"6169998".pn. or "20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S202	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S203	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S204	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S205	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S206	0	determine same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S207	1	determin\$5 same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S208	1	"20040024756".pn. and (representative adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S209	1	"20040024756".pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S210	13	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S211	1498	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S212	8	S211 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S213	199	(feature adj extraction) and (image adj classification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S214	9416	S213 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S215	14	S213 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S216	1	"5995978".pn. and k \$1means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S217	134	((k\$1means near3 algorithm) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S218	0	((((k\$1means near3 algorithm) same image) same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S219	0	((k\$1means near3 algorithm) same image) same (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S220	24	((k\$1means near3 algorithm) same image) and (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S221	1	(feature near3 extraction) and (image near3 segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S222	1433	(feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S223	5886	S222 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S224	178	S222 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S225	8	S224 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S226	15	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S227	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S228	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S229	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S230	2	"6006226".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S231	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S232	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S233	0	"5933823".pn. and (directory or (file adj sysctm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S234	0	"5933823".pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S235	14493	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S236	99	S235 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S237	836	feature near3 correspond \$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S238	15	S237 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S239	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2006/12/10 20:35
S240	2	(divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2006/12/10 20:35

S241	17	(segment\$4 near3 (display or image or graphic)) and (segment \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2006/12/10 20:35
S242	213	((three near6 (divi\$5 or segment\$5)) and (k \$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S243	11	((three near6 (divi\$5 or segment\$5)) same (k \$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S244	0	((three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S245	1	((three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S246	17	hierarchical same form\$4 same directory same (file adj system) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S247	0	(generate or construct) same (hierarchical near3 structure) same (directory near3 layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S248	164	(hierarchical near3 structure) same directory same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S249	14	S248 same layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S250	10	S248 same formed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S251	9	S250 not S249	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S252	5	S248 same derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S253	1503822	structure same formed saem layers same directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S254	54660	S253 same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S255	1	S254 same (managing near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S256	1	S254 same (managing near4 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S257	1	S254 same (managing near8 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S258	1	"20040024758".pn. and (record\$6 near3 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S259	0	"20030198384".pn. and arrang\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S260	2	"20040024758".pn. and (media or medium or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S261	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S262	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35



S263	179	((((histogram or edge or texture) adj feature) same (image adj feature)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S264	861	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S265	2	"20040024756".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S266	0	"20040024756".pn. and (representative near3 image) and (similarity near3 leve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S267	52	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S268	436	(content near3 based near3 image near3 retrieval) or (content \$1based\$1image \$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S269	190	S268 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S270	108	((representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S271	0	determine same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S272	1498	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S273	199	((feature adj extraction) and (image adj classification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S274	9416	S273 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S275	0	((k\$1means near3 algorithm) same image) same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S276	0	((k\$1means near3 algorithm) same image) same (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S277	1433	(feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S278	5886	S277 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S279	178	S277 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S280	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S281	0	"5933823".pn. and (directory or (file adj sysetm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S282	0	"5933823".pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S283	14493	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S284	836	feature near3 correspond \$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S285	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2006/12/10 20:35
S286	213	(three near6 (divi\$5 or segment\$5)) and (k \$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S287	0	(three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S288	0	(generate or construct) same (hierarchical near3 structure) same (directory near3 layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S289	164	(hierarchical near3 structure) same directory same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S290	10	S289 same formed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S291	1503822	structure same formed saem layers same directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S292	54660	S291 same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S293	1	S292 same (managing near4 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S294	1	S292 same (managing near8 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S295	0	"20030198384".pn. and arrang\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S296	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S297	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S298	1	determin\$5 same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S299	1	"20040024758".pn. and (representative adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S300	1	"20040024758".pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S301	1	"5995978".pn. and k \$1 means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S302	1	(feature near3 extraction) and (image near3 segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S303	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S304	1	(three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S305	1	S292 same (managing near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S306	1	"20040024758".pn. and (record\$6 near3 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S307	2	"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S308	2	"20020145603" pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S309	29	S263 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S310	23	S264 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S311	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S312	2	"20040024758" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S313	22	S267 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S314	2	S268 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S315	3	S270 and ((sub near3 feature) or (sub \$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S316	4	"6169998".pn. or "20020145603" pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S317	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S318	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S319	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S320	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S321	13	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S322	8	S272 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S323	14	S273 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S324	24	((k\$1means near3 algorithm) same image) and (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S325	8	S279 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S326	15	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S327	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S328	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S329	2	"6006226" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S330	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S331	99	S283 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S332	15	S284 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S333	2	(divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2006/12/10 20:35
S334	17	(segment\$4 near3 (display or image or graphic)) and (segment \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2006/12/10 20:35
S335	11	(three near6 (divi\$5 or segment\$5)) same (k \$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S336	17	hierarchical same form\$4 same directory same (file adj system) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S337	14	S289 same layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S338	9	S290 not S337	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S339	5	S289 same derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35

S340	2	"20040024758".pn. and (media or medium or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S341	115	S269 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S342	134	(k\$1 means near3 algorithm) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S343	2	"20050119995".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S344	69130	((identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 (((name adj variations) or alias\$4 or names)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S345	245	S344 and ((criminal near5 investigation) or (background adj check) or (identity adj check))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S346	332	S344 and ((criminal near5 investigation) or (background adj check) or (identity adj theft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S347	4794	((identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 (((name adj variations) or alias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S348	3128	((identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 (((name adj variations) or alias\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S349	16	((identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 (((name adj variations)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S350	0	"5287278".pn. and (search same (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35



S351	0	"5287278".pn. and (search and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S352	0	"5287278".pn. and (query and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S353	0	"5287278".pn. and (locate and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S354	2	"5287278".pn. and (locate and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S355	0	"6502095".pn. and (group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S356	2	"6502095".pn. and (lazy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/10 20:35
S357	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 03:59
S358	1	"6240424".pn. and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 03:59
S359	31	((image near3 similarity near3 level) or (image near3 similarity)) same (distance) same (feature near3 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 04:00
S360	2	"20040024758".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 04:01
S361	1	"20050131951".pn. and (feature near3 vector space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 04:53

S362	0	"20050131951".pn. and (feature near3 vector near3 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 04:53
S363	1	"20050131951".pn. and (feature near3 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 04:53
S364	31	((image near3 similarity near3 level) or (image near3 similarity)) same (distance) same (feature near3 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:36
S365	4293	(707/104.1).CCLS	USPAT; USOCR	OR	OFF	2008/08/18 10:37
S366	5	S365 and S364	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:37
S367	5122	(707/3).CCLS	USPAT; USOCR	OR	OFF	2008/08/18 10:47
S368	5	S367 and S364	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/18 10:47
S369	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S370	2	"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S371	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S372	2	"20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S373	233	((((histogram or edge or texture) adj feature) same (image adj feature)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S374	37	S373 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S375	1238	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S376	32	S375 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S377	2	"20040024758".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S378	0	"20040024758".pn. and (representative near3 image) and (similarity near3 leve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S379	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S380	2	"20040024758".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S381	64	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S382	32	S381 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S383	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S384	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S385	647	{content near3 based near3 image near3 retrieval) or (content \$1based\$1image \$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S386	297	S385 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S387	194	S386 and classf\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S388	2	S385 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S389	131	((representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S390	3	S389 and ((sub near3 feature) or (sub \$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S391	4	"6169998".pn. or "20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S392	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S393	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S394	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S395	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S396	2	determine same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S397	3	determin\$ same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S398	1	"20040024758".pn. and (representative adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S399	1	"20040024758".pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S400	18	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S401	2127	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S402	13	S401 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S403	312	(feature adj extraction) and (image adj classification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S404	11804	S403 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S405	21	S403 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S406	1	"5995978".pn. and k \$1means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S407	222	((k\$1means near3 algorithm) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S408	1	((((k\$1means near3 algorithm) same image) same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S409	2	((((k\$1means near3 algorithm) same image) same (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S410	42	((((k\$1means near3 algorithm) same image) and (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S411	1	((feature near3 extraction) and (image near3 sementation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S412	2041	((feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S413	8443	S412 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S414	332	S412 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S415	22	S414 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S416	17	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S417	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S418	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S419	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S420	2	"6006226" .pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S421	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S422	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S423	0	"5933823".pn. and (directory or (file adj sysetm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S424	0	"5933823".pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S425	18505	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S426	159	S425 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S427	1200	feature near3 correspond \$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S428	35	S427 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S429	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2008/12/10 21:50
S430	2	(divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2008/12/10 21:50
S431	25	(segment\$4 near3 (display or image or graphic)) and (segment\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2008/12/10 21:50
S432	346	(three near6 (divi\$5 or segment\$5)) and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S433	19	(three near6 (divi\$5 or segment\$5)) same (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S434	0	(three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S435	1	(three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S436	22	hierarchical same form\$4 same directory same (file adj system) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S437	0	(generate or construct) same (hierarchical near3 structure) same (directory near3 layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S438	225	(hierarchical near3 structure) same directory same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S439	22	S438 same layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50



S440	14	S438 same formed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S441	12	S440 not S439	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S442	7	S438 same derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S443	1750305	structure same formed saem layers same directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S444	67106	S443 same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S445	1	S444 same (managing near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S446	1	S444 same (managing near4 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S447	1	S444 same (managing near8 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S448	1	"20040024758".pn. and (record\$6 near3 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S449	0	"20030198384".pn. and arrang\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S450	2	"20040024758".pn. and (media or medium or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S451	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S452	2	"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S453	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S454	2	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S455	233	((((histogram or edge or texture) adj feature) same (image adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S456	37	S455 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S457	1238	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S458	32	S457 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S459	2	"20040024758".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S460	0	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S461	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S462	2	"20040024758".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S463	64	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S464	32	S463 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S465	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S466	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S467	647	(content near3 based near3 image near3 retrieval) or (content \$1based\$1image \$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S468	297	S467 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S469	194	S468 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S470	2	S467 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S471	131	((representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S472	3	S471 and ((sub near3 feature) or (sub \$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S473	4	"6169998".pn. or "20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S474	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S475	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S476	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S477	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S478	2	determine same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S479	3	determin\$5 same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S480	1	"20040024758".pn. and (representative adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S481	1	"20040024758".pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S482	18	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S483	2127	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S484	13	S483 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S485	312	(feature adj extraction) and (image adj classification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S486	11804	S485 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S487	21	S485 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S488	1	"5995978".pn. and k \$1means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S489	222	((k\$1means near3 algorithm) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S490	1	((k\$1means near3 algorithm) same image) same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S491	2	((k\$1means near3 algorithm) same image) same (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S492	42	((k\$1means near3 algorithm) same image) and (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S493	1	(feature near3 extraction) and (image near3 sementation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S494	2041	(feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S495	8443	S494 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S496	332	S494 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S497	22	S496 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S498	17	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S499	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S500	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S501	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S502	2	"6006226".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S503	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S504	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S505	0	"5933823".pn. and (directory or (file adj syssetm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S506	0	"5933823".pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S507	18505	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S508	159	S507 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S509	1200	feature near3 correspond \$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S510	35	S509 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S511	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2008/12/10 21:50
S512	2	(divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2008/12/10 21:50
S513	25	(segment\$4 near3 (display or image or graphic)) and (segment \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2008/12/10 21:50
S514	346	(three near6 (divi\$5 or segment\$5)) and (k \$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S515	19	(three near6 (divi\$5 or segment\$5)) same (k \$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S516	0	(three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S517	1	(three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S518	22	hierarchical same form\$4 same directory same (file adj system) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S519	0	(generate or construct) same (hierarchical near3 structure) same (directory near3 layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S520	225	(hierarchical near3 structure) same directory same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S521	22	S520 same layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S522	14	S520 same formed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S523	12	S522 not S521	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S524	7	S520 same derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S525	1750305	structure same formed saem layers same directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S526	67106	S525 same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S527	1	S526 same (managing near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50



S528	1	S526 same (managing near4 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S529	1	S526 same (managing near8 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S530	1	"20040024758".pn. and (record\$6 near3 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S531	0	"20030198384".pn. and arrang\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S532	2	"20040024758".pn. and (media or medium or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S533	2	"20050119995".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S534	95834	(identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 ((name adj variations) or alias\$4 or names)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S535	400	S534 and ((criminal near5 investigation) or (background adj check) or (identity adj check))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S536	684	S534 and ((criminal near5 investigation) or (background adj check) or (identity adj theft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S537	4291	(identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 ((name adj variations) or alias\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S538	6292	(identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 ((name adj variations) or alias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S539	22	(identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 ((name adj variations))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S540	0	"5287278".pn. and (search same (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S541	0	"5287278".pn. and (search and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S542	0	"5287278".pn. and (query and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S543	0	"5287278".pn. and (locate and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S544	2	"5287278".pn. and (locate and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S545	0	"6502095".pn. and (group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S546	2	"6502095".pn. and (lazy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S547	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S548	2	"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S549	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S550	2	"20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S551	233	((((histogram or edge or texture) adj feature) same (image adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S552	37	S551 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S553	1238	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S554	32	S553 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S555	2	"20040024758".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S556	0	"20040024758".pn. and (representative near3 image) and (similarity near3 leve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S557	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S558	2	"20040024758".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S559	64	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S560	32	S559 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S561	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S562	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S563	647	(content near3 based near3 image near3 retrieval) or (content \$1based\$1image \$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S564	297	S563 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S565	194	S564 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S566	2	S563 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S567	131	((representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S568	3	S567 and ((sub near3 feature) or (sub \$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S569	4	"6169998".pn. or "20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S570	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S571	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S572	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S573	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S574	2	determine same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S575	3	determin\$5 same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S576	1	"20040024758".pn. and (representative adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S577	1	"20040024758".pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S578	18	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S579	2127	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S580	13	S579 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S581	312	(feature adj extraction) and (image adj classification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S582	11804	S581 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S583	21	S581 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S584	1	"5995978".pn. and k \$1means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S585	222	((k\$1means near3 algorithm) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S586	1	((((k\$1means near3 algorithm) same image) same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S587	2	((((k\$1means near3 algorithm) same image) same (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S588	42	((((k\$1means near3 algorithm) same image) and (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S589	1	((feature near3 extraction) and (image near3 sementation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S590	2041	((feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S591	8443	S590 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S592	332	S590 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S593	22	S592 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S594	17	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S595	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S596	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S597	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S598	2	"6006226".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S599	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S600	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S601	0	"5933823".pn. and (directory or (file adj sysetm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S602	0	"5933823".pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S603	18505	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S604	159	S603 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S605	1200	feature near3 correspond \$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S606	35	S605 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S607	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2008/12/10 21:50
S608	2	(divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2008/12/10 21:50
S609	25	(segment\$4 near3 (display or image or graphic)) and (segment \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2008/12/10 21:50
S610	346	(three near6 (divi\$5 or segment\$5)) and (k \$1 means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S611	19	(three near6 (divi\$5 or segment\$5)) same (k \$1 means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S612	0	(three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S613	1	(three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S614	22	hierarchical same form\$4 same directory same (file adj system) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S615	0	(generate or construct) same (hierarchical near3 structure) same (directory near3 layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50



S616	225	(hierarchical near3 structure) same directory same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S617	22	S616 same layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S618	14	S616 same formed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S619	12	S618 not S617	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S620	7	S616 same derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S621	1750305	structure same formed saem layers same directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S622	67106	S621 same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S623	1	S622 same (managing near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S624	1	S622 same (managing near4 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S625	1	S622 same (managing near8 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S626	1	"20040024758".pn. and (record\$6 near3 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S627	0	"20030198384".pn. and arrang\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S628	2	"20040024758".pn. and (media or medium or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S629	0	"6169998".pn. and "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S630	0	"200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S631	233	((((histogram or edge or texture) adj feature) same (image adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S632	1238	extract\$4 same histogram same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S633	2	"20040024758".pn. and (representative near3 image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S634	0	"20040024758".pn. and (representative near3 image) and (similarity near3 leve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S635	64	((four near3 segment near3 divid\$4) or (three near3 segment near3 divid\$4)) near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S636	647	(content near3 based near3 image near3 retrieval) or (content \$1based\$image \$1retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S637	297	S636 and (features and divid\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50

S638	131	((representative adj points) same image same feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S639	2	determine same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S640	2127	image adj classification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S641	312	((feature adj extraction) and (image adj classification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S642	11804	S641 (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S643	1	((k\$1means near3 algorithm) same image) same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S644	2	((k\$1means near3 algorithm) same image) same (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S645	2041	((feature near3 extraction) and (image same (segmentation or (sub\$division)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S646	8443	S645 (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S647	332	S645 and (image near3 (similarity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:50
S648	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51

S649	0	"5933823".pn. and (directory or (file adj sysetm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S650	0	"5933823".pn. and (directory or (file adj system))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S651	18505	feature same correspond same (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S652	1200	feature near3 correspond \$3 near3 (display or image or graphic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S653	0	(divid\$4 near3 (display or image or graphic)) same corresponding same (divid \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2008/12/10 21:51
S654	346	(three near6 (divi\$5 or segment\$5)) and (k \$1 means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S655	0	(three near6 (divi\$5 or segment\$5)) same "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S656	0	(generate or construct) same (hierarchical near3 structure) same (directory near3 layers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S657	225	(hierarchical near3 structure) same directory same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S658	14	S657 same formed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S659	1750305	structure same formed saem layers same directory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51

S660	67106	S659 same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S661	1	S660 same (managing near4 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S662	1	S660 same (managing near8 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S663	0	"20030198384".pn. and arrang\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S664	1	"20040024758".pn. and (display adj region)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S665	1	"20040024758".pn. and hierarchically	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S666	3	determin\$5 same (representative near3 points) same distance same (feature adj space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S667	1	"20040024758".pn. and (representative adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S668	1	"20040024758".pn. and (reference adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S669	1	"5995978".pn. and k \$1means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S670	1	(feature near3 extraction) and (image near3 segmentation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51

S671	1	"5933823".pn. and representative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S672	1	(three near6 (divi\$5 or segment\$5)) and "20030059121".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S673	1	S660 same (managing near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S674	1	"20040024758".pn. and (record\$6 near3 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S675	2	"6169998".pn. or "200201456033".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S676	2	"20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S677	37	S631 same (feature adj extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S678	32	S632 same (hsv or lab or luv)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S679	2	"20040024758".pn. and (representative near3 image) and (similarity near3 level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S680	2	"20040024758".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S681	32	S635 and feature and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51

S682	2	S636 and (representative adj points)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S683	3	S638 and ((sub near3 feature) or (sub \$1feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S684	4	"6169998".pn. or "20020145603".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S685	2	"6711287".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S686	2	"6269358".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S687	2	"6121969".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S688	2	"6240423".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S689	18	three near3 (sub\$feature or (sub adj feature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S690	13	S640 and (divid\$4 near3 (feature adj space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S691	21	S641 and (representative adj image)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S692	42	((k\$1means near3 algorithm) same image) and (feature near3 extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51

S693	22	S647 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S694	17	three near3 segment near3 division near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S695	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S696	2	"5933823".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S697	2	"6006226".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S698	2	"6240424".pn. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S699	159	S651 and (k\$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S700	35	S652 and (k\$means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S701	2	{divid\$4 near3 (display or image or graphic)) and (divid\$4 near3 (feature)) and k\$means	USPAT	OR	OFF	2008/12/10 21:51
S702	25	{segment\$4 near3 (display or image or graphic)) and (segment \$4 near3 (feature)) and k \$means	USPAT	OR	OFF	2008/12/10 21:51
S703	19	{(three near6 (divi\$5 or segment\$5)) same (k \$1means)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51



S704	22	hierarchical same form\$4 same directory same (file adj system) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S705	22	S657 same layers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S706	12	S658 not S705	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S707	7	S657 same derived	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S708	2	"20040024758".pn. and (media or medium or program or software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S709	194	S637 and classif\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S710	222	((k\$1means near3 algorithm) same image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S711	2	"20050119995".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S712	95834	((identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 ((name adj variations) or alias\$4 or names)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S713	400	S712 and ((criminal near5 investigation) or (background adj check) or (identity adj check))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S714	684	S712 and ((criminal near5 investigation) or (background adj check) or (identity adj theft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51

S715	6292	(identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 ((name adj variations) or alias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S716	4291	(identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 ((name adj variations) or alias\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S717	22	(identif\$4 or detect\$4 or find\$4 or retriev\$4) near5 ((name adj variations))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S718	0	"5287278".pn. and (search same (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S719	0	"5287278".pn. and (search and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S720	0	"5287278".pn. and (query and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S721	0	"5287278".pn. and (loate and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S722	2	"5287278".pn. and (locate and (name or variation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S723	0	"6502095".pn. and (group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S724	2	"6502095".pn. and (lazy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S725	2	"6240424".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51

S726	1	"6240424".pn. and vector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S727	32	((image near3 similarity near3 level) or (image near3 similarity)) same (distance) same (feature near3 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S728	2	"20040024758".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S729	1	"20050131951".pn. and (feature near3 vector space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S730	0	"20050131951".pn. and (feature near3 vector near3 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S731	1	"20050131951".pn. and (feature near3 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S732	32	((image near3 similarity near3 level) or (image near3 similarity)) same (distance) same (feature near3 space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S733	4501	(707/104.1).CQLS.	USPAT; USOCR	OR	OFF	2008/12/10 21:51
S734	5	S733 and S732	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51
S735	5389	(707/3).CQLS.	USPAT; USOCR	OR	OFF	2008/12/10 21:51
S736	5	S735 and S732	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/10 21:51

12/ 11/ 2008 2:52:02 PM

C:\Documents and Settings\pdarno\My Documents\EAST\Workspaces\ App No - 10619497\ 12-10-2008.wsp